Molecular and Cellular Biochemistry **272:** 229–231, 2005.

Index to Volume 272

Ando H, *see* Muto T *et al*
Andrews DW, *see* Kong D *et al*
Bagni C, *see* Baldini PM *et al*
Balakrishna K, *see* Devi KP *et al*
Baldini PM, De Vito P, D'aquilio F, Vismara D, Zalfa F, Bagni C, Fiaccavento R, Di Nardo P: Role of atrial natriuretic peptide in the suppression of lysophosphatydic acid-induced rat aortic smooth muscle (RASM) cell growth 19–28
Berthonneche C, *see* Morel S *et al*
Bianchi M, De Lucchini S, Vietri M, Villa-Moruzzi E: Reciprocally interacting domains of protein phosphatase 1 and focal adhesion kinase 85–90
Boix E, *see* Carreras E *et al*
Boucher F, *see* Morel S *et al*
Brook I, *see* Preuss HG *et al*
Carreras E, Boix E, Navarro S, Rosenberg HF, Cuchillo CM, Nogués MV: Surface-exposed amino acids of eosinophil cationic protein play a critical role in the inhibition of mammalian cell proliferation 1–7
Chang P-A, Wu Y-J, Chen R, Li M, Li W, Qin Q-L: Inhibition of neuropathy target esterase expressing by antisense RNA does not affect neural differentiation in human neuroblastoma (SK-N-SH) cell line 47–54
Chathu F, *see* Mohanan VV *et al*
Chatterjee D, *see* Chatterjee M *et al*
Chatterjee M, Chatterjee D: Developmental changes in the neuronal protein composition: A study by high resolution 2D-gel electrophoresis 201–207
Chauhan A, *see* Chauhan V *et al*
Chauhan V, Sheikh AM, Chauhan A, Spivack WD, Fenko MD, Malik MN: Regulation of high molecular weight bovine brain neutral protease by phospholipids *in vitro* 145–149
Chen R, *see* Chang P-A *et al*
Correa F, Zazueta C: Mitochondrial glycosidic residues contribute to the interaction between ruthenium amine complexes and the calcium uniporter 55–62
Cuchillo CM, *see* Carreras E *et al*
Dai J, *see* Sun L *et al*
Dai J, *see* Sun L *et al*
D'aquilio F, *see* Baldini PM *et al*
de Leiris J, *see* Morel S *et al*
De Lucchini S, *see* Bianchi M *et al*
De Vito P, *see* Baldini PM *et al*
Devaki T, *see* Devi KP *et al*
Devi CSS, *see* Vani G *et al*
Devi KP, Sreepriya M, Balakrishna K, Devaki T: Protective effect of *Premna tomentosa* extract (L verbanacae) on acetaminophen-induced mitochondrial dysfunction in rats 171–177
Di Nardo P, *see* Baldini PM *et al*
Echard B, *see* Preuss HG *et al*
Elliott TB, *see* Preuss HG *et al*
Enig M, *see* Preuss HG *et al*
Fenko MD, *see* Chauhan V *et al*
Fiaccavento R, *see* Baldini PM *et al*
Ghezzi C, *see* Morel S *et al*
Gross GJ, Lockwood SF: Acute and chronic administration of disodium disuccinate astaxanthin (Cardax^{TM}) produces marked cardioprotection in dog hearts 221–227
Gu S, *see* Sun L *et al*
Hasegawa T, *see* Muto T *et al*

Hattori Y, *see* Jesmin S *et al*
Hotta Y, *see* Muto T *et al*
Hsiao H-L, Su Y: Identification of the positive and negative *cis*-elements involved in modulating the constitutive expression of mouse thymosin β_4 gene 75–84
Ishikawa N, *see* Muto T *et al*
Jesmin S, Hattori Y, Togashi H, Ueno K-I, Yoshioka M, Sakuma I: Age-related changes in cardiac expression of VEGF and its angiogenic receptor KDR in stroke-prone spontaneously hypertensive rats 63–73
Ji C, *see* Sun L *et al*
Kong D, Xu L, Yu Y, Zhu W, Andrews DW, Yoon Y, Kuo TH: Regulation of Ca^{2+}-induced permeability transition by Bcl-2 is antagonized by Drp1 and hFis1 187–199
Kuo TH, *see* Kong D *et al*
Lang CH, *see* Vary TC *et al*
Lee H-J, *see* Yang S-P *et al*
LeGrand RD, *see* Linetsky M *et al*
Li M, *see* Chang P-A *et al*
Li W, *see* Chang P-A *et al*
Li X, *see* Sun L *et al*
Linetsky M, LeGrand RD: Glutathionylation of lens proteins through the formation of thioether bond 133–144
Lockwood SF, *see* Gross GJ *et al*
Malik MN, *see* Chauhan V *et al*
Mao Y, *see* Sun L *et al*
Miki Y, *see* Muto T *et al*
Miyazeki K, *see* Muto T *et al*
Mohanan VV, Chathu F, Paulose CS: Decreased 5-HT_{2C} receptor binding in the cerebral cortex and brain stem during pancreatic regeneration in rats 165–170
Morel S, Berthonneche C, Tanguy S, Toufektsian M-C, Perret P, Ghezzi C, de Leiris J, Boucher F: Early pre-diabetic state alters adaptation of myocardial glucose metabolism during ischemia in rats 9–17
Muto T, Hotta Y, Miyazeki K, Ando H, Ishikawa N, Hasegawa T, Sugimoto Y, Yamada J, Miki Y: Protective effects of sarpogrelate, a 5-HT_{2A} antagonist, against postischemic myocardial dysfunction in guinea-pig hearts 119–132
Mythili Y, *see* Selvakumar E *et al*
Navarro S, *see* Carreras E *et al*
Nogués MV, *see* Carreras E *et al*
Paulose CS, *see* Mohanan VV *et al*
Perret P, *see* Morel S *et al*
Prahalathan C, *see* Selvakumar E *et al*
Preuss HG, Echard B, Enig M, Brook I, Elliott TB: Minimum inhibitory concentrations of herbal essential oils and monolaurin for gram-positive and gram-negative bacteria 29–34
Qin Q-L, *see* Chang P-A *et al*
Ramachandran B, Subramanian S: Amelioration of diabetic dyslipidemia by macrocyclic binuclear oxovanadium complex on streptozotocin induced diabetic rats 157–164
Rosenberg HF, *see* Carreras E *et al*
Sakuma I, *see* Jesmin S *et al*
Schluesener HJ, *see* Zhang Z *et al*
Selvakumar E, Prahalathan C, Mythili Y, Varalakshmi P: Mitigation of oxidative stress in cyclophosphamide-challenged hepatic tissue by DL-α-lipoic acid 179–185
Sheikh AM, *see* Chauhan V *et al*
Shetty S: Regulation of urokinase receptor mRNA stability by hnRNP C in lung epithelial cells 107–118
Spivack WD, *see* Chauhan V *et al*
Sreepriya M, *see* Devi KP *et al*
Su Y, *see* Hsiao H-L *et al*
Su Y, *see* Yang S-P *et al*
Subramanian S, *see* Ramachandran B *et al*
Sugimoto Y, *see* Muto T *et al*
Sun L, Gu S, Sun Y, Zheng D, Wu Q, Li X, Dai J, Dai J, Ji C, Xie Y, Mao Y: Cloning and characterization of a novel human phosphatidic acid phosphatase type 2, *PAP2d*, with two different transcripts *PAP2d_v1* and *PAP2d_v2* 91–96
Sun Y, *see* Sun L *et al*
Tanguy S, *see* Morel S *et al*

Togashi H, *see* Jesmin S *et al*
Toufektsian M-C, *see* Morel S *et al*
Ueno K-I, *see* Jesmin S *et al*
Vani G, Devi CSS: Effect of histone H1 on estrogen receptor status of human breast cancer MCF 7 cells 151–155
Varalakshmi P, *see* Selvakumar E *et al*
Vary TC, Lang CH: IGF-I activates the eIF4F system in cardiac muscle *in vivo* 209–220
Vietri M, *see* Bianchi M *et al*
Villa-Moruzzi E, *see* Bianchi M *et al*
Vismara D, *see* Baldini PM *et al*
Weinschenk T, *see* Zhang Z *et al*
Wu Q, *see* Sun L *et al*
Wu Y-J, *see* Chang P-A *et al*
Xie Y, *see* Sun L *et al*
Xu L, *see* Kong D *et al*
Yamada J, *see* Muto T *et al*
Yang S-P, Lee H-J, Su Y: Molecular cloning and structural characterization of the functional human thymosin β_4 gene 97–105
Yoon Y, *see* Kong D *et al*
Yoshioka M, *see* Jesmin S *et al*
Yu Y, *see* Kong D *et al*
Zalfa F, *see* Baldini PM *et al*
Zazueta C, *see* Correa F *et al*
Zhang Z, Weinschenk T, Schluesener HJ: Uptake, cellular distribution and novel cellular binding proteins of immunostimulatory CpG oligodeoxynucleotides in glioblastoma cells 35–46
Zheng D, *see* Sun L *et al*
Zhu W, *see* Kong D *et al*